

**TABLE OF CONTENTS**

	<u>PAGE</u>
Section 1 Authority.....	1
Section 2 Purpose.....	1
Section 3 Jurisdiction.....	1
Section 4 Applicability.....	1
Section 5 Definitions.....	2
Section 6 Severability.....	6
Section 7 Procedures.....	6
7.1 General Procedures.....	6
7.2 Preliminary Plat Submission Requirements.....	7
7.3 Fees.....	7
7.4 Scale and Preliminary Plat Contents.....	7
7.5 Notification of Improvement Schedule.....	8
7.6 Notification of County Planning Commission.....	8
7.7 Notification of School Board.....	8
7.8 Approval or Rejection.....	8
7.9 Recording of Action.....	8
7.10 Approval is Conditional.....	8
7.11 Installation of Improvements for Final Plat Approval.....	9
7.12 Final Plat Submission Requirements.....	9
7.13 Scale and Final Plat Contents.....	9
7.14 Supplementary Data Required.....	10
7.15 Professional Assistance.....	10
7.16 Planning Commission Recommendations.....	10
7.17 Administrative Subdivision .....	10
7.18 Waiver for Minor Subdivisions.....	12
Section 8 Streets, Alleys, Sidewalks, Driveways, Gates.....	12
8.1 Streets.....	12
8.2 Street Extension.....	12
8.3 Dedication of Right-of-Way For Existing Streets.....	13
8.4 Dedication of Right-of-Way For Existing Streets.....	13
8.5 Intersections.....	14
8.6 Widths, Grades and Sight Distance Requirements.....	14
8.7 Marginal Access Streets.....	15
8.8 Street Jogs.....	15
8.9 Property Address.....	15
8.10 Street Names.....	15

**TABLE OF CONTENTS ♦ CONTINUED**

	<u>PAGE</u>
8.11 Private Streets and Reserve Strips.....	16
8.12 Grading Specifications.....	16
8.13 Minimum Pavement Widths.....	16
8.14 Street Surfacing.....	16
8.15 Curb and Gutter.....	16
8.16 Blocks.....	16
8.17 Street Name Signs.....	16
8.18 Alleys.....	17
8.19 Sidewalks.....	17
8.20 Driveways.....	17
8.21 Street and Walkway Lighting.....	17
8.21 Gates.....	17
 Section 9 Utility and Drainage Facilities.....	 17
9.1 Sewer and Water.....	17
9.2 Sanitary Sewer Improvements.....	18
9.3 Drainage Improvements.....	19
9.4 Storm Sewers and Storm Water Drainage.....	20
9.5 Culverts and Bridges.....	20
9.6 Solar Access.....	21
9.7 Erosion Control.....	21
9.8 Fire Protection.....	21
9.9 Electric, Gas, and Telephone Improvements.....	21
 Section 10 Shared Improvement Costs.....	 22
10.1 Extensions to Boundaries.....	22
10.2 Off-site Extensions.....	22
10.3 Public /Private Partnerships and Alternative Sources of Funding.....	22
 Section 11 Subdivision Improvement Procedure .....	 23
11.1 Subdivision Improvement Guarantees .....	23
11.2 Surety Performance Bond .....	23
11.3 Escrow Account .....	23
11.4 Security Agreement .....	23
11.5 Improvement (Assessment) District .....	24
11.6 Time Limits .....	24
11.7 Installation of Improvements .....	24

**TABLE OF CONTENTS ♦ CONTINUED**

11.8	Plan Review Reimbursement .....	24
11.9	Failure to Complete Improvements .....	24
11.10	Inspection and Certification .....	25
11.11	Reduction of Guarantees .....	25
11.12	Release of Guarantees .....	25
Section 12	Dedication of Public Land .....	26
12.1	Dedication .....	26
Section 13	Annexation and Recording of Plat .....	26
13.1	Subdivision Annexation of Adjoining or Continuous Properties .....	26
13.2	Subdivision Annexation: Petition for Annexation .....	26
13.3	Subdivision Annexation: Adoption Plan by Resolution .....	26
Section 14	Variances.....	27
14.1	Granting of Variances; Conditions.....	27
14.2	Recording of Plat.....	27
14.3	Planned Development.....	27
Section 15	Public Sites and Open Spaces.....	28
15.1	Recreation Standards.....	28
15.2	Recreation Sites.....	28
Section 16	Amendments.....	28

**SECTION 1. AUTHORITY.** These Regulations are hereby adopted and enacted under authority of R.R.S., Nebr. 1943, Chapters 19-916 thru 19-922 and 16-901 to 16-905, and amendments thereto, and comprise requirements, standards and specifications with respect to provisions for the proper location and width of streets, building lines, open spaces, safety, recreation; and, for the manner in which streets will be graded and improved; and, the extent to which water, sewer and other utility services shall be provided; and, to provide for the approval of preliminary plats and final plats and endorsement thereof by the McCook, Nebraska Planning Commission and by the City Council. No final plat of a subdivision shall be approved and accepted by the McCook City Council unless it conforms to the provisions of these regulations.

**SECTION 2. PURPOSE.** The purpose of these regulations is to provide for the orderly development of McCook and its environs; to proscribe standards for the laying out of subdivisions in harmony with the comprehensive plan; for the coordination of streets and utilities within subdivisions with other existing or planned streets and utilities; for coordination of subdivisions with other features of the comprehensive plan to provide for adequate open space for traffic, recreation, light and air; and for the distribution of population and traffic in such a manner so as to create conditions favorable to health, safety, convenience or prosperity, all in accordance with applicable state statutes.

**SECTION 3. JURISDICTION.** The provisions of this Ordinance shall apply to the lands within the Corporate Limits and to the unincorporated area located two (2) miles beyond and adjacent the Corporate Limits of the City of McCook, Nebraska, as the same may be amended from time to time, pursuant to Section 16-902, under authority of R.R.S., Nebr. 1943, as amended.

**SECTION 4. APPLICABILITY.** Any plat, hereafter made, for each subdivision or part thereof lying within the jurisdiction of this ordinance, shall be prepared for approval and recorded as herein prescribed. The regulations contained here in shall apply to the subdivision of a lot, tract, parcel of land into two or more lots, tracts, or other division of land for the purpose of sale or development, whether immediate or future, including the re-subdivision or re-platting of land or lots, except that the division of land when the smallest parcel created is more than ten (10) acres in area shall be exempt from these regulations. Further, the regulations set forth by this ordinance shall be minimum regulations which shall apply uniformly throughout the jurisdiction of this ordinance except as hereafter provided.

A. Each separate principal use/building within the jurisdiction of this ordinance shall be situated on a separate and single subdivided lot of record unless otherwise provided in the zoning ordinance of the City of McCook, Nebraska.

B. No subdivision of land shall be permitted within the planning jurisdiction of McCook unless a plat is approved in accordance with the provisions of these Regulations. Further, no lot in a subdivision may be sold, transferred or negotiated to sell, no permit to erect, alter, or repair any building upon land in a subdivision may be issued, and no building may be erected in a subdivision unless a final plat has been approved by the McCook City Council and recorded with the Red Willow County Register of Deeds.

C. These Subdivision Regulations shall not apply to the following:

1. To a subdivision of land whereby the smallest parcel created or remaining is more than ten (10) acres, as pursuant to Section 19-921, under authority of R.R.S., Nebr 1943, as Amended.
2. The subdivision of burial lots in cemeteries.
3. A change in the boundary between adjoining lands which does not create an additional lot or does not result in non-conformity of an existing lot.

**SECTION 5. DEFINITIONS.** For the purposes of these Regulations, certain terms or words used herein shall be interpreted as follows:

The present tense includes the future tense, the singular number includes the plural, and the plural number includes the singular.

**BLOCK.** A tract or parcel of land bounded by public streets or lands, streams, railroads, unplatted lands or a combination thereof.

**BUILDING LINE.** A line parallel or nearly parallel, to either the street line or the lot line not abutting the street and at a specified distance from the street or lot line which marks the minimum distance from either line that a building may be erected. In the case of a cul-de-sac, the building line shall be measured around the curvature of the street line.

**BUILDING OFFICIAL.** The person or persons designated by the governing body to administer this subdivision ordinance whether such person or persons are an entitled Building Official, Building Inspector, Administrative Official, Zoning Administrator, or the City Manager.

**COMMON OPEN SPACE.** That undivided land in a subdivision which may be jointly owned by all property owners of the subdivision, for the benefit of the owners of the individual building sites of said development.

COMMON SEWER SYSTEM. A sanitary sewage system in public ownership which provides for the collection and treatment of domestic effluent in a central sewage treatment plant which meets the minimum requirements of the Nebraska Department of Environmental Quality for primary and secondary sewage treatment and which does not include individual septic tanks or portable sewage treatment facilities.

COMMON WATER SYSTEM. A water system which provides for the supply, storage and distribution of potable water on an uninterrupted basis which is in public ownership.

COMPREHENSIVE PLAN. The long range development plan adopted by the McCook City Council.

COVENANT. Written promise or pledge.

CULVERT. A transverse drain that channels water under a street or driveway.

EASEMENT. A grant by property owner to the public, a corporation or persons of the use of a tract of land for a specific purpose.

ENGINEER, CITY. One, licensed by the State of Nebraska, designated by the McCook City Council to act for the City.

FRONTAGE. The length of the property abutting on one (1) side of a street measured along the dividing line between the property and the street.

GREEN AREA. Same as common open space.

IMPROVEMENT. Street pavement or resurfacing, curbs, gutter, sidewalks, water lines, sewer lines, storm drains, street lights, flood control and drainage facilities, utility lines, landscaping, and other related matters normally associated with the development of raw land into building sites.

LOT. A parcel of land occupied or intended for occupancy by a use permitted in this Article, including one (1) main building together with its accessory buildings, the open spaces and parking required by this Article and fronting upon a street.

LOT, CORNER. A lot abutting upon two (2) or more streets at their intersection.

LOT, INTERIOR. A lot other than a corner lot which has frontage on one street only.

LOT, THROUGH. A lot other than a corner lot fronting on more than one street.

LOT OF RECORD. A tract of land described as an integral portion of a subdivision plat which is properly recorded in the office of the Red Willow County Clerk.

MAJOR SUBDIVISION All subdivisions not classified as minor subdivisions, including but not limited to subdivisions of five (5) or more lots, or any size subdivision requiring any new street or extension of the local governmental facilities, or the creation of any public improvements.

MINOR SUBDIVISION Any subdivision containing up to five (5) lots fronting on an existing street, and not involving any new street or road, the extension of municipal facilities, the creation of any public improvements, any zoning change, and not adversely affecting the remainder of the parcel of adjoining property.

MONUMENTS. Permanent iron markers [minimum ½” x 24” rebar (or pipe) with surveyor’s cap and a number] used to establish definitely all lines of the plat of a subdivision, including all lot corners, boundary line corners and points of change in street alignment.

OUT LOT. Property shown on a subdivision plat outside of the boundaries of the land which is developed and which is to be excluded from the development of the subdivision.

PARKING SPACE, OFF-STREET. Off-street parking shall mean an area, enclosed or unenclosed, sufficient in size to store one automobile, together with a driveway connecting the parking space with a street or alley and permitting ingress and egress.

PEDESTRIAN WAYS. A tract of land dedicated to public use, which cuts across a block to facilitate pedestrian access to adjoining streets and properties.

PLANNED DEVELOPMENT. Special development of certain tracts of land, planned and designed as a unit for one (1) or more land uses under rules and procedures contained in these Regulations.

PLANNING AREA. The statutory zoning jurisdiction of the City of McCook.

PLANNING COMMISSION. The appointed planning body designated by the McCook City Council.

PLAT, FINAL. The map of a subdivision to be recorded after review and recommendation by the Planning Commission to the City Council and with any accompanying material for final approval and, after such approval, to the Red Willow County Clerk for recording as described in these regulations.

PLAT, PRELIMINARY PLAT. The preliminary drawing or drawings, described in these regulations, indicating the proposed manner or layout of the subdivision to be submitted to the Planning Commission for review and recommendation to the City Council for final approval.

PLOT. A parcel of ground.

PUBLIC WAY. An alley, avenue, boulevard, bridge, channel, ditch, easement, expressway, freeway, highway, land, parkway, right-of-way, road, sidewalk, street, subway, tunnel, viaduct, walk, or other ways in which the general public or a public entity have a right, or which are dedicated, whether improved or not.

RIGHT-OF-WAY. A strip of land taken or dedicated for use as a public way. In addition to the roadway, it normally incorporates the curbs, lawn strips, sidewalks, lighting, and drainage facilities, and may include special features such as grade separation, landscaped areas, viaducts and bridges.

**SETBACK LINE.** The term "setback line" means a line, as shown on a record plat or otherwise established by the McCook City Council, beyond which no part of a main exterior wall of a building or structure may project. The projection of roof eaves, or other building components are allowed as per the provisions of the McCook Zoning Regulations.

**SEWERS, ON-SITE.** A septic tank or similar installation on an individual lot which utilizes an aerobic bacteriological process or equally satisfactory process for the elimination of sewage and provides for the proper and safe disposal of the effluent, subject to the approval of health and sanitation officials having jurisdiction, and only allowed when the McCook public sewer system is unavailable.

**SIDEWALK.** A paved path for pedestrians at the side of a street or roadway.

**STREET.** Street shall mean a public or private thoroughfare including avenues, which affords principle means of access to abutting property.

**SUBDIVIDER.** The owners, developers or agents of persons or corporations affecting subdivision.

**SUBDIVISION.** The division of a parcel of land into two (2) or more lots or parcels for the purpose of transfer of ownership, building development, or, if a new street is involved, any division of a parcel of land. The term includes re-subdivision, and, when appropriate to the context, shall relate to the process of subdividing or to the land subdivided.

**SURVEYOR.** Any person registered in Nebraska to practice surveying.

**THOROUGHFARE, STREET OR ROAD.** The full width between property lines bounding every public way of whatever nature, with a part thereof to be used for vehicular traffic and designated as follows:

**Alley:** A dedicated public right-of-way, other than a street, which provides only a secondary means of access to abutting property.

**Arterial Street:** A street which provides for through traffic movement between and around streets with direct access to abutting property, subject to necessary control of entrances, exits, and curb use.

**Collector Street:** A street which provides for traffic movement between arterials and local streets, with direct access to abutting property.

**Cul-de-sac:** A local street of relatively short length with one (1) end open to traffic and the other end terminating in a vehicular turnaround.

**Dead-end Street:** A street temporarily having only one (1) outlet for vehicular traffic and intended to be extended or continued in the future.

**Local Street:** A street which provides direct access to abutting land and local traffic movement, whether in business, industrial or residential land.

Marginal Access Street: A local or collector street, parallel and adjacent to an arterial or collector street, providing access to abutting properties and protection from arterial or collector streets (Also called frontage street or service road).

VICINITY MAP. A drawing located on the plat which sets forth by dimensions or other means, the relationship of the proposed subdivision or use to other nearby developments or landmarks and community facilities and services within the City of McCook, in order to better locate and orient the area in question.

WALKWAY. See sidewalk.

ZONE OR DISTRICT. A section of the zoning area for which uniform regulations governing the use, height, area, size and intensity of the use of buildings, land, and open spaces about buildings, are established.

**SECTION 6. SEVERABILITY**. Should any section or provision of these Regulations be declared by the courts to be unconstitutional or invalid, such decision shall not affect the validity of these Regulations as a whole, or any part thereof, other than the part so declared to be unconstitutional or invalid.

**SECTION 7. PROCEDURES**

**7.1 General Procedure.** When the subdivision of land is proposed, before any contract is made for the sale of any part thereof, and before any building permits are granted, the subdivision owner shall apply for and secure approval of such proposed subdivision in accordance with the following procedure:

1. **Administrative Subdivision.** An administrative subdivision shall not be considered a subdivision subject to the requirements of a minor or major subdivision. A Plat reviewed and approved by Zoning Administrator, Utilities Director and City Manager. See Section 7.17.
2. **Minor Subdivision.** A Final Plat is submitted to the City Council for Approval. See Section 7.12
3. **Major Subdivision.** Major Subdivisions are required to submit a Preliminary and Final Plat to the Planning Commission and City Council for approval. See Sections 7.2 and 7.12

**7.2 PRELIMINARY PLAT SUBMISSION REQUIREMENTS.** The applicant of Major Subdivisions shall prepare and submit an application for preliminary plat approval. The applicant shall prepare and file three (3) copies of a proposed preliminary plat, one (1) full size copy, one (1) copy reduced to 8 ½ by 11 inches, and one (1) full-size electronic copy in portable document format (pdf). The application for preliminary plat approval shall be submitted to the Zoning Administrator at least twenty (20) calendar days before the McCook Planning Commission meeting at which the application will be considered.

**7.3 Fees.** Fees are set by the McCook City Council.

**7.4 Scale and Preliminary Plat Contents.** Preliminary plats shall be a scale of one (1") inch to one hundred (100') feet, or 1" = 200' if seventy-five (75) percent of the lots are one (1) acre or larger, and shall be prepared with the following information:

- A. Name, location, acreage, owner and designer of subdivision with legal description as shown by land records.
- B. Present zoning.
- C. Date, north arrow and graphic scale.
- D. Location of property lines, roads, existing utilities with size of lines, and other underground installations and easement.
- E. Names of adjoining properties or subdivisions.
- F. Proposed utility system, including water, sewer and paving.
- G. Dimensions, lot lines, except that in industrial type subdivisions, lot lines may be excluded.
- H. Location of proposed drainage.
- I. Contours at five (5') feet intervals at 1" = 200' scale.
- J. Proposed improvements and grading concepts.
- K. Location of existing buildings.
- L. Proposed easements, dedications and reservations of land required.

**7.5 Notification of Initial Improvement Schedule and Subdivision Financing Process.** Subdivider shall indicate by a letter when improvements as required will be provided; any proposed restrictive covenants for the land involved shall accompany the letter. The options for

financing subdivision improvements shall be in conformance with the provisions of Sections 10 and 11 of this Ordinance and the subdivider shall indicate in a letter what financing options are planned to be used for the proposed subdivision.

7.6 Notification of County Planning Commission. The City shall notify the Red Willow County Planning Commission of any proposed subdivision plat and provide the Commission with all available materials on the proposed plat, when such proposed plat lies partially or totally within the extraterritorial subdivision jurisdiction being exercised by that Municipality in such County. The Commission shall be given four (4) weeks to officially comment on the appropriateness of the design and improvements proposed in the plat. The review period shall run concurrently with subdivision review activities of the City after the Commission receives all available material for a proposed subdivision plat.

7.7 Notification of School Board. At least ten (10) days prior to the McCook Planning Commission meeting at which the preliminary plat is to be considered for approval, the Planning Commission shall submit a copy of the proposal to the School Board of each School District which the proposed development affects, and shall notify the School Board of the meeting date. Copies of the plat may be submitted to any other agency which may be affected.

7.8 Approval or Rejection. After review of the preliminary plat and negotiations with the subdivider, and before the City Council reviews and acts on the Preliminary Plat, the McCook Planning Commission shall reject or conditionally approve the preliminary plat, within thirty (30) days after the official meeting at which the plat was considered.

7.9 Recording of Action. The action of the McCook Planning Commission shall be noted on three (3) copies of the preliminary plat, referenced and attached to any conditions determined. One (1) copy shall be returned to the subdivider, one (1) copy relayed to the City Council and one (1) copy retained by the Planning Commission.

7.10 Approval is Conditional. Approval of a preliminary plat shall not constitute approval of the final plat; it shall be deemed an expression of approval or conditional approval of the submitted plat, as a guide for the preparation of the final plat, which will be subject to further consideration by the McCook Planning Commission and the McCook City Council. Any conditional approval of the preliminary plat shall be effective for a period of one (1) year unless an extension is granted by the Planning Commission.

7.11 Installation of Improvements for Final Plat Approval. The subdivision design standards contained in this ordinance and hereinafter referred to as Subdivision Regulations are formulated to assure that the style, character, and form of new developments will conform to minimum requirements promoting the health, safety, and general welfare of the public. In addition to these regulations and to insure that future developments are consistent with the growth objectives and goals of the City and its Two-Mile Planning Jurisdiction, subdivisions shall conform to the Comprehensive Plan of the City of McCook, to the Zoning and Subdivision Ordinances and to any other applicable ordinances of the City of McCook. Following approval of the preliminary plat, the subdivider shall:

- (1) Agree to install the required improvements or;
- (2) Sign an agreement, which shall be entered into only at the option of the City, thereby guaranteeing the installation of improvements; or
- (3) Furnish a bond or enter into an escrow or security agreement approved by the City Attorney in an amount sufficient to guarantee the installation of the required improvements.

7.12 FINAL PLAT SUBMISSION REQUIREMENTS. The Subdivider of Major Subdivisions shall submit a Final Plat, showing entire concept, to the City Clerk within twelve (12) months of approval of the preliminary plat, unless an extension is granted by the Planning Commission. The final plat shall conform to the preliminary plat as approved and to the requirements of all applicable ordinances and State statutes; and, if desired by the subdivider, it may constitute only that portion of the approved preliminary plat which the subdivider proposes to record and develop at the time; provided, however, that such portion conforms to all requirements of these Regulations.

A Subdivider of a Minor Subdivision can submit the final plat to the City Clerk after review and approval of the City Manager.

7.13 Scale and Final Plat Contents. One (1) original and two (2) original ink copies of the final plat and other exhibits required for approval shall be submitted. The final plat shall be drawn in ink on mylar and shall be at a scale of one (1") inch to one hundred (100') feet or larger. The final plat shall show the following:

- A. Date, title, name and location of subdivision.
- B. Streets and street names, lots, setback lines, lot numbers, etc, except that in industrial type subdivision lot designation may be excluded.
- C. Graphic scale and north arrow.
- D. Monuments (ferrous) minimum one-half (1/2) inch diameter, maximum, Twenty-Four (24) inches in length with surveyor's cap and number.
- E. Dimensions, angles and bearings, and complete legal description of the property.
- F. Sufficient survey data to reproduce any line on the ground.
- G. Names of adjoining subdivisions.
- H. Location and dimensions of any easements.
- I. Purpose for which sites are dedicated or reserved, and the transfer of ownership of the same.
- J. Certification by surveyor as to accuracy of survey and plat.
- K. Certification signed and acknowledged by all parties holding title or having any title interest in the land subdivided and consenting to the preparation and recording of the plat as submitted.

- L. Certification recording the approval by the Planning Commission.
- M. Certification recording the approval by the City Council and the acceptance of any dedications.

7.14 Supplementary Data Required. The final plat shall be accompanied with Construction plans of all required public improvements, and a Drainage Study approved and sealed by a Nebraska Professional Engineer and any State Offices requiring review and approval.

7.15 Professional Assistance. The City Council or the Planning Commission may request such professional assistance as it deems necessary to properly evaluate the plats submitted.

7.16 Planning Commission Recommendations. The Planning Commission shall reject or approve the final plat and have prepared a recommendation to the City Council recommending rejection or approval. All reasons for recommending rejection shall be clearly stated. Notification of approval or rejection by the Planning Commission or City Council shall be given the subdivider within sixty (60) days after submission of the final plat to the Planning Commission.

**7.17 ADMINISTRATIVE SUBDIVISION.** An owner may file application with the Zoning Administrator of the City for approval of a proposed administrative subdivision plat as provided in this section. As used herein, the term "administrative subdivision" shall mean the re-subdivision of existing subdivided lots and blocks, involving the adjustment of existing lot boundaries or the consolidation of lots, in a manner consistent with the Zoning Ordinance concerning minimum area and dimensions of lots, but not necessitating the dedication of additional public right-of-way or easements or the installation of required public improvements.

1. **Plat.** The property owner shall submit an accurately drawn plat showing the proposed lots including all pertinent dimension lines. The plat shall be on eight and one-half (8½) by eleven (11) inch sheet(s) of paper; be drawn to a scale of not less than one (1) inch equals one hundred (100) feet; show the direction north by an arrow; reflect all adjoining public streets and alleys and public easements; and show any existing buildings or structures on the tract of land being changed. Except in the case of the consolidation of lots or the re-subdivision of two lots where a portion of a lot is added to the other lot, attached to the plat shall be a certificate signed by a registered land surveyor licensed in the State of Nebraska certifying that each proposed lot has been accurately surveyed and that each lot corner has been well and accurately staked and marked.

2. **Lots.** An administrative subdivision shall only be used to create a maximum of two (2) lots from any lot. If said two (2) lots have been created by administrative subdivision, any further subdivision shall be done by filing and processing a vacation of existing lots, Preliminary Plat, and Final Plat as provided in the subdivision ordinance. Exceptions to the foregoing restriction shall be permitted only to allow adjustment of lot lines in cases of mistake or error.

An administrative subdivision shall be applied only once to any specific lot or combination of lots.

3. **Frontage access.** Each lot created must have at least 50 feet of frontage on an adjacent public street and at least 30 feet of frontage on any adjacent alley or a 10-foot wide utility easement along the rear property line if no alley adjoins the lot.
4. **Minimum Zoning and Subdivision Criteria.** Except as provided in subsection 5(b) herein, each lot created shall comply with the requirements of the Zoning Ordinance and this section.
5. **Provisions for Existing Structures.** If the administrative subdivision involves existing structures on the lots created, the following shall apply:
  - (a) Except as provided in subsection 5(b) of this section, each structure must meet lot setback, building separation and other building and zoning requirements using the new boundaries for ownership created by the administrative subdivision.
  - (b) A duplex dwelling may be divided as part of an administrative subdivision even though each portion of a structure so divided may not meet side lot setback regulations. Each portion shall be physically modified to operate as an independent unit and shall have adequate fire separation installed to provide a minimum of two (2) hour protection between units or greater where required by fire zone regulations.
  - (c) Each lot shall be provided with adequate vehicle off-street parking as per the Zoning Ordinance.
6. **Tax Records.** Prior to the approval of the administrative subdivision, the property owner shall provide a statement from the County Treasurer showing that according to their records, there are no unpaid taxes against said land within the proposed administrative subdivision or any part thereof. The property owner shall provide a statement from the County Clerk that there are no liens against said land. The property owner shall also provide a statement from the City Treasurer showing that all special assessment installation payments are current as applied to said proposed administrative subdivision or any part thereof.
7. **Fee.** The property owner shall pay to the City a fee as reflected on the City's fee ordinance.

8. **Approval and Filing.** The Zoning Administrator shall examine the administrative subdivision final plat and application as to their compliance with the requirements of the Zoning Ordinance and this section and shall submit the application and plat to the Utilities Director for his review and recommendation. If the Zoning Administrator finds that the administrative subdivision final plat has been prepared and submitted in compliance with the requirements of this section and the Zoning Ordinance, the Zoning Administrator shall approve such plat. A Certificate of Approval shall be issued for each administrative subdivision so approved. If the Zoning Administrator finds that the proposed plat does not qualify for approval as an administrative subdivision final plat, the Zoning Administrator shall return the proposed plat to the owner, without an approval, The Zoning Administrator shall file an approved administrative subdivision plat in the office of the County Clerk of Red Willow County, Nebraska within fifteen (15) days from the date it is granted.
9. **Appeal.** In the event of a denial of an administrative subdivision, the applicant may appeal to the City Council alleging error in the decision of the Zoning Administrator, by filing, an appeal in writing with the City Clerk within fifteen (15) days after the return of the proposed plat "to the owner without an approval. The City Council may affirm or reverse the Zoning Administrator's decision."

**7.18 WAIVER FOR MINOR SUBDIVISIONS.** The subdivider may make application for, and the City Council may grant, a waiver of some or all of the requirements provided for herein for small residential, commercial and industrial subdivisions where the following conditions exist:

1. The subdivision contains no more than five (5) lots, which total area of said lots shall not exceed one half (1/2) acre each, and conform to existing zoning ordinances,
2. All lots of the proposed subdivisions shall be platted on existing streets,
3. Surfaces of all streets serving the subdivision meet, or exceed, street surface standards of the City,
4. Public water, sanitary sewer, storm sewer system facilities are available to all lots in the subdivision,
5. The development of the subdivision will not increase erosion or flooding potential, and
6. The subdivider demonstrates to the City Council that said development is in conformity with the potential development of abutting property. A subdivider requesting a waiver hereunder shall submit said request in writing to the City Council prior to the submission of a Final Plat. The request for a waiver shall include a list of all requirements for which a waiver is sought by reference to code numbers and descriptive headings.

**SECTION 8. STREETS, ALLEYS, SIDEWALKS, DRIVEWAYS, GATES.**

8.1 Streets. The arrangements, character, extent, width, grade and location of all streets shall conform to the comprehensive development plan and shall be considered in their relation to existing and planned streets, to topographical conditions, to public convenience and safety, and in their appropriate relation to the proposed uses of the land to be served by such streets.

8.2 Street Extension. The street layout of the proposed subdivision shall provide for the continuation of appropriate projection of streets and alleys already existing in areas being subdivided. Where, at the determination of the City Council, it is desirable to provide street access to adjoining properties, proposed streets shall be extended by dedication to the boundaries of such properties. Where the City Council deems it necessary, such dead-end streets more than ninety-one and one-half (91.5) meters, or three hundred (300) feet in length shall be provided with a turnaround having not less than thirty-six and one-half (36.5) meters, or one hundred twenty (120) feet outside diameter of traveled way, which can be waived by the City Manager upon due cause. The street system for the proposed subdivision shall provide for extending existing streets at the same or greater width, but in no case shall a street extension be of less width than the minimum width required in these regulations for a street in its category.

8.3 Dedication of Right-of-Way for New Streets. The dedication of right-of-way for new streets measured from lot line to lot line shall be as shown on the comprehensive development plan. All streets classified as arterial streets by the comprehensive development plan shall have all points of access approved by the City Council. Marginal access streets may be required by the City Council for subdivisions fronting on arterial streets.

8.4 Dedication of Right-of-Way for Existing Streets. Subdivisions platted along existing streets shall dedicate additional right-of-way if necessary to meet the minimum street width requirements set forth in these Regulations. The entire minimum right-of-way width shall be dedicated where the subdivision is on both sides of an existing street. When the subdivision is located on only one (1) side of an existing street, one half of the required right-of-way width, measured from the center line of the existing roadway, shall be dedicated. Dedication of one half of the right-of-way for proposed streets along the boundaries of land proposed for subdivision shall be prohibited.

**8.5 Intersections.** Streets shall intersect as nearly as possible at an angle of ninety (90) degrees, and no intersection shall be at any angle of less than sixty (60) degrees. Street curb intersections shall be rounded by radii of at least twenty (20) feet. When the smallest angle of street intersection is less than seventy-five (75) degrees, the City Council may require curb radii of greater length. Wherever necessary to permit the construction of a curb having a desirable radius without reducing the sidewalk at a street corner to less than normal width, the property line at such street corner shall be rounded or otherwise set back sufficiently to permit such curb construction. No lot or other parcel of land which abuts on and has access to either a collector or a minor street shall have a service drive, curb cut, or other means of access to an arterial street within fifty (50) feet of the right-of-way of any street which intersects such arterial street on the side on which such lot or parcel is located.

**8.6 Widths, Grades and Sight Distance Requirements.** While maximum grades may be modified by the City Manager, right-of-way widths, pavements widths, grades and sight distance requirements shall be as follows:

TYPE	R.O.W.	PAVEMENT	MAXIMUM GRADE	MINIMUM SIGHT DISTANCE ON CURVES
Arterial	*100'	40***	6%	400'
Marginal Access	30'	22'	8%	300'
Collector	*80'	38***	6%	300'
Local	60'	35'	8%	300'
Alleys	20'	16'	no max. no max.	none none
Cul-de-sac	80'	Street Entrance 35' Paved Radius 60'	10%	200'
Sidewalk		5'		

\* Streets in these classifications shall be designed and graded to the full right-of-way widths stated.

\*\* The Developer shall not be responsible for providing pavement wider than 35'.

The horizontal alignment on all streets except in unusual cases as determined by the McCook Planning Commission shall as follows:

STREET TYPE	RADII OF HORIZONTAL CURVES
Arterial Streets	700' Minimum
Collector Streets	300' Minimum
Local Streets	100' Minimum

**8.7 Marginal Access Streets.** Where a subdivision abuts or contains an existing or proposed arterial street, the City of McCook may require access streets, reverse frontage with screen planting contained in a non-access reservation along the rear property line, deep lots with rear

service alleys, or such other treatment as may be necessary for adequate protection of residential properties and to afford separation of through and local traffic.

Where the proposed subdivision abuts upon or contains an existing or proposed arterial street or highway or which traffic volumes and vehicular speeds warrant special safety considerations, the City may require that marginal access streets be provided in order that no lots front on such existing or proposed arterial street or highway.

Where a subdivision borders on or contains a railway right-of-way or limited access highway right-of-way, the City may require a street approximately parallel to and on each side of such right-of-way, at a distance suitable for the appropriate use of the intervening land, as for park purposes in residential districts. Such distances shall also be determined with due regard for the requirements of approach grades and future grade separations.

8.8 Street Jogs. Street jogs with center line offsets of less than one hundred twenty-five (125) feet shall be prohibited. Cul-de-sacs, minor terminal or dead-end streets or courts which are designed so as to have one end permanently closed shall not be longer than five hundred (500) feet and shall be provided at the closed end with a turnaround having a radius at the outside of the right-of-way of at least eighty (80) feet.

8.9 Property Address. The addressing of properties within the City Limits will be the responsibility of the City Clerk. Addressing of properties must follow the utilized 911 addressing system.

8.10 Street Names. Proposed streets which are in alignment with other already existing and named streets shall bear the names of such existing streets. The name of a proposed street which is not in alignment with an existing street shall not duplicate the name of any existing street, irrespective of the use of the suffix street, avenue, boulevard, drive, place, court, lane, road, pike, highway, parkway or similar suffix. Whenever a street alignment changes direction more than forty-five (45) degrees without a return to the original alignment within a distance of five hundred (500) feet, then the name of the street shall be changed at the point of curvature. Whenever a cul-de-sac street serves not more than three (3) lots, the name of the intersecting street shall apply to the cul-de-sac. To avoid duplication and confusion, the proposed names of all streets shall be approved by the designated City Engineer prior to such names being assigned or used.

8.11 Private Streets and Reserve Strips. There shall be no private streets platted within a subdivision. There shall be no reserve strips in a subdivision except where their control is definitely vested in the City or County under conditions approved by the City Council as authorized herein.

8.12 Grading Specifications. All streets, roads and alleys shall be graded to their full widths by the subdivider, so that street pavements and sidewalks can be constructed on the same level plane. The American with Disabilities Act (ADA) provisions and regulations should be met. Deviation from this standard due to special topographical conditions will be allowed only with the approval of the City Council. Before grading is started, the entire right-of-way area shall be first cleared of all tree stumps, roots, brush, and other objectionable materials and of all trees not intended for preservation. The sub-grade shall be properly shaped, rolled and uniformly compacted to conform with the accepted cross-section and grades.

In cuts and fills, all tree stumps, boulders, organic material, soft clay, spongy material and other objectionable materials shall be removed to a depth of at least two (2) feet below the graded surface. This objectionable matter, as well as similar matter from cuts, shall be removed from the right-of-way area and disposed of in such a manner that it will not become incorporated in fills or hinder proper operation of the drainage system.

8.13 Minimum Pavement Widths. Pavement widths shall be measured between curb backs.

8.14 Street Surfacing. The streets in the proposed subdivision shall be paved, including curbs and gutters, and street surfacing shall be of concrete or any other suitable surface as recommended by the designated City Engineer and approved by the City Council.

8.15 Curb and Gutter. Curb and gutter shall be provided as required by the City Engineer. In areas of notable flash flooding or heavy rain run-off, curbs shall be required on all streets designed for areas where the existing or anticipated residential density of the areas surrounding the proposed subdivision equals or exceeds three (3) dwelling units per net acre. In commercial developments, or where other similar intensive urban uses exist or are anticipated, curbs shall be required. Where curbs exist on abutting properties, their extension shall be required throughout the proposed subdivision. All curb and gutter shall be constructed in conformance with the minimum standards of the City and as approved by the City Engineer.

8.16 Blocks. Except in unusual circumstances, the maximum length of blocks shall be seven hundred (700) feet.

8.17 Street Name Signs. Street name signs, of a type in use throughout the City of McCook, shall be erected by the subdivider at all intersections.

8.18 Alleys. Alleys shall be provided to give access to the rear of all lots used for commercial purposes. Minimum Right-of-Way of an alley shall be twenty (20) feet and the paved width of an alley shall be sixteen (16') feet. Alley intersections and sharp changes in alignment shall be avoided, but where necessary, corners shall be cut off sufficiently to permit safe vehicular movement.

Dead-end alleys shall be avoided where possible, but if unavoidable, shall be provided with adequate facilities at the dead-end, as determined by the McCook City Council. Alleys need not be provided in residential areas where the subdivider produces evidence of easements which are satisfactory to the City Council.

8.19 Sidewalks. Sidewalks shall be provided as required by City ordinances and in conformance with ADA requirements and shall be constructed of Portland cement concrete or other acceptable materials as approved by the City Council. Sidewalk thickness shall be not less than four (4) inches and sidewalk width not less than five (5) feet. Unless otherwise specified, all sidewalks shall be built upon the terrace, separated by a minimum of five (5) feet from the curb located on the street.

8.20 Driveways. Driveways shall have a maximum grade of ten (10) percent. Driveways and curb cuts shall be located not less than three (3) feet from the side lot lines. Curb cuts for straight curbs and the flare for rolled curbs shall be three (3) feet wider than the driveway pavement on each side.

8.21 Street and Walkway Lighting. The street lights shall be installed by the City of McCook. Such lights shall be located at each street and walkway entrance to the subdivision. In addition, whenever the distance between two (2) adjacent street or walkway lights would exceed three hundred (300) feet, then additional street lights shall be installed in such manner that proper light intensity shall be provided and maintained. New subdivision street and walkway lighting may be installed with all associated wiring underground or overhead, as required by the City.

8.22 Gates. The clear opening provided through gates shall be six-tenths (0.6) meters, or two (2) feet wider than the traveled way. All gates shall be located a minimum of nine and one-tenth (9.1) meters, or thirty (30) feet from the public right-of-way and shall not open outward. Fire department personnel shall have ready access to locking mechanisms on any gate restricting access to a fire lane. Proposed changes to access shall be preapproved by the authority having jurisdiction.

## **SECTION 9. UTILITY AND DRAINAGE FACILITIES.**

9.1 Sewer and Water. It shall be required that the owner or developer of the tract to be subdivided install satisfactory sewer and water lines which are necessary to serve such subdivision. Installation of the above shall be in accordance with the specifications of the City of McCook, the Nebraska Department of Health and Human Services and the Department of Environmental Quality, and under the direction and supervision of the McCook City Council.

Where adequate water and sewer lines are accessible within thirteen hundred twenty (1,320) feet of the final plat, connections to these lines shall be made. Water lines shall be looped according to specifications set by the City Council.

The cost of providing this engineering service will be the responsibility of the owner or developer of the tract to be subdivided or by other agreement with the City. Design of municipal water mains and sanitary sewer lines shall conform to standards and guidelines approved by the McCook City Engineer.

9.2 Sanitary Sewer Improvements. The following requirements shall govern sanitary sewer improvements:

1. Where an adequate public sanitary sewer system is reasonably accessible in the determination of the McCook City Council, public sanitary sewers shall be installed to adequately serve all lots, including lateral connections to the public system. Public sewer system extensions shall meet the requirements of the City standards and the Nebraska Department of Environmental Quality and the Department of Health and Human Services System. Combinations of sanitary sewers and storm sewers shall be prohibited.
2. Where a public sanitary sewer system is not reasonably accessible, the subdivider may provide:
  - a. A central treatment plant, provided that such central treatment plant is installed in accordance with the City and State Department of Environmental Quality and Department of Health and Human Services System requirements, or
  - b. Lots may be served by individual disposal systems, if the provisions of the following section are met.
3. a. Where the installation of individual disposal systems is considered, the suitability of the soil for individual systems, the absorptive ability of the soil, surface drainage, ground water level, and topography shall be the criteria for determining whether or not the installation of individual systems is permissible. Criteria shall be in accordance with the requirements of the City and the Nebraska Department of Environmental Quality and Department of Health and Human Services System.

- b. Each lot so served shall be of a size and shape to accommodate the necessary length of tile field at a safe distance from and at a lower elevation than the proposed buildings. Such lot size and shape shall conform to the requirements of the zoning district in which they are located, provided that in no case shall said minimum lot be less than one (1) acre in area where there is a public water supply available at the lot, and two and a half (2 1/2) acres where there is not public water supply available.
- c. At least one (1) percolation test shall be made for each lot area being platted, and each test shall be located in close proximity to the proposed individual sewage disposal unit, be numbered and its location shown on the preliminary plat. All percolation tests shall be performed in accordance with the requirements of the McCook City Council.

9.3 Drainage Improvements. An adequate system for the drainage of all surface water within the area being subdivided, including ditches, pipes, culverts, intersectional drains, drop inlets, bridges, and other structures, shall be constructed by the developer. Such drains shall comply as to size with such requirements, conformable to good engineering practice, as the McCook City Council shall prescribe; provided that such drains in no event shall be less than twelve (12) inches in diameter. Cross drains shall be constructed to accommodate all natural water flow, be built on a straight line and grade, be laid on a firm base but not on rock and be of sufficient length to permit construction of streets and alleys to their required width and grades.

Surface drainage pipes shall be laid with the spigot end pointed in the direction of the flow, and all ends shall be fitted and matched to provide tight joints and a smooth uniform invert. Such pipes shall be placed at a depth below the road bed that is sufficient to avoid dangerous pressure from impact, and the top, in no event, shall be less than one (1) foot below the surface of the road bed.

A culvert or other drainage facility shall in each case be large enough to accommodate potential runoff from its entire upstream drainage area, whether inside or outside the subdivision. The McCook City Engineer shall review and approve submitted plans and storm water calculations, based on the provisions of the construction standards and specifications assuming conditions of maximum potential watershed development permitted by the Zoning Regulations.

The City Engineer shall also study the effect of each subdivision on existing downstream drainage facilities outside the area of the subdivision. Where it is anticipated that the additional runoff incident to the development or the subdivision will overload an existing downstream drainage facility or flood existing development upstream, the McCook Planning Commission may withhold approval of the subdivision until provision has been made for the improvement of said potential condition in such sum as the Planning Commission shall determine. No subdivision shall be approved unless adequate drainage will be provided to an adequate drainage watercourse or facility.

Subdivision proposals and other proposed new development be required to assure that (a) all such proposals are consistent with the need to minimize flood damage, (b) all public utilities and facilities, such as sewer, gas, electrical, and water systems are located, elevated and constructed to minimize or eliminate flood damage, (c) adequate drainage is provided so as to reduce exposure to flood hazards so as to assure that all building sites are reasonably safe from flood hazards.

Lots shall be laid out so as to provide positive drainage away from all buildings and individual lot drainage shall be coordinated with the general storm drainage pattern for the area. Drainage shall be designed so as to avoid concentration of storm drainage water from each lot into areas not designed to handle flood waters. Lot drainage plans shall conform to the drainage study required for submittal approval.

9.4 Storm Sewers and Storm Water Drainage. Where an adequate public storm sewer system is available at the plat boundary, the Developer shall construct a storm sewer system and connect with such storm sewer line. If such a storm sewer system is not accessible, natural drainage channels with easement of adequate width shall be provided, as determined by the City Engineer and approved by the City Council. Paved gutters or storm sewers shall be required if velocities are greater than specified in these regulations or cause destructive erosion. Storm drainage, including drain tile around basements, shall not be permitted to discharge into any sanitary sewer facility, but shall connect to an adequate drainage outlet.

9.5 Culverts and Bridges. Where natural drainage channels intersect any street right-of-way, it shall be the responsibility of the Developer/ Subdivider to have satisfactory bridges and/or culverts constructed. Where culverts are required, minimum requirements shall be observed as follows:

1. All culverts shall extend across the entire right-of-way width of the proposed street. The cover over the culvert and its capacity shall be reviewed and approved by the City Engineer. The minimum diameter of a culvert pipe shall be twelve (12) inches. Depending on existing drainage conditions, head walls may be required.
2. Driveway culverts shall have a minimum length of twenty (20) feet, and a minimum diameter of eighteen (18) inches. The driveway culverts shall be laid so as to maintain the flow lines of the ditch or gutter. Head walls may be required.

9.6 Solar Access. In order to promote the conservation of energy through the use of both passive and active solar systems, streets in residential subdivisions should, where possible, have an east-west alignment. Lots intended for detached dwellings should be of sufficient width to allow the structure to be built with its longest axis running east-west.

In order to allow the orientations of structures on the site so as to maximize potential solar gain, side lot lines should run as near to north-south as possible providing that the angle between the side of lot line and the street right-of-way line on a straight street or the tangent to a curved street shall not be less than eighty (80) degrees.

Any property owner or developer may grant or establish a solar sky-space easement to protect solar energy systems from shade. The easements shall be created in writing and shall be recorded separately or should be contained on the face of the plat. The easements shall run with the land.

9.7 Erosion Control. The subdivider shall be required to provide for the control of erosion of areas of the subdivision which are disturbed by grading operations by constructing temporary terraces on slopes, temporary silting basins, sod swales and spillways, and whatever may be necessary to prevent erosion and damage to adjacent properties from surface drainage pursuant to the Nebraska Department of Environmental Quality and the National Pollution Discharge Elimination System (NPDES) requirements and approved by the City and the City Engineer.

9.8 Fire Protection. Fire hydrants shall be provided by the City in all subdivisions with public water supplies. The hydrants shall be located between property lines and curbs with all outlets facing or parallel to the street. Hydrants shall be placed at the corners of all blocks and mid-block for blocks exceeding eight hundred (800) feet in length. Hydrants shall also be required at the entrance and end of all cul-de-sacs exceeding four hundred (400) feet in length. In no case shall the spacing between hydrants exceed five hundred (500) feet. The type of hydrant and control valves and the location of the hydrant shall be approved by the Fire Chief and the Utility Director. The minimum size of any water line serving any hydrant shall not be less than six (6") inches in diameter and should be circulating water lines. The size and location of water lines shall be approved by the City Engineer, Utility Director and the Fire Chief.

9.9 Electric, Gas, and Telephone Improvements.

1. Electric service and telephone service shall be provided within each subdivision. Gas service may be required where reasonably accessible. Whenever such facilities are reasonably accessible and available, they may be required to be installed within the area prior to the approval of the final plat. Telephone, electric, street lighting, and communications conductors may be installed underground at the option of the City Council.
2. Overhead secondary utility lines, where installed shall be located at the rear of all lots.
3. Whenever a sanitary sewer line and electric and/or telephone line is each placed underground in the same utility easement, the following provisions shall be applicable:
  - a. the total easement width shall not be less than fifteen (15) feet, and

- b. the sanitary sewer line shall be installed within three (3) feet of the easement, and the electric and/or telephone line shall be installed within three (3) feet of the opposite side of the easement.

## **SECTION 10. SHARED IMPROVEMENT COSTS.**

10.1 Extensions to Boundaries. The subdivider may be required to extend the necessary improvements to the boundary of the proposed subdivision to serve adjoining un-subdivided land, as determined by the McCook City Council.

10.2 Off-site Extensions. If street or utilities are not available at the boundary of a proposed subdivision, and if the City Council finds the extensions across undeveloped areas would not be warranted as a special assessment to the intervening properties or as a Municipal expense until some future time, the subdivider may be required, prior to the approval of the final plat, to obtain necessary easements or right-of-way and construct and pay for such extensions. Such improvements shall be available for connections by subdividers of adjoining land.

10.3 Public/Private Partnerships and Alternative Sources of Funding. Developers are encouraged to form partnerships with area organizations and/or work with the City of McCook to secure alternative sources of funding for infrastructure improvements and developments. These alternative sources of funding may include, but not be limited to sources available with the Nebraska Department of Economic Development (Community Development Block Grant Program) the United States Department of Agriculture – Rural Development (Community Programs) and local sources of funding from the City, such as Tax Increment Financing and the receipts from the LB840 program.

**SECTION 11. SUBDIVISION IMPROVEMENT PROCEDURE.**

11.1 Subdivision Improvements Guarantees. Prior to the final plat approval, but after approval of all improvement plans and specifications, the subdivider shall complete all improvements required for the subdivision. Final plat approval shall not be given until the dedication of all appropriate improvements and acceptance thereof by the City Council.

In lieu of requiring the completion of all improvements prior to the final plat approval, the City Council may enter into an agreement with the subdivider whereby the subdivider shall guarantee to complete all improvements required by this Ordinance and approved by the Planning Commission and City Council in a manner satisfactory to the City Council. To secure this agreement, the subdivider shall provide, subject to the approval of the City Council, one (1) or more of the guarantees set forth in Sections 11.2, 11.3 and 11.4.

11.2 Surety Performance Bond. The subdivider shall obtain a performance bond from a bonding company authorized to do business in the State of Nebraska. The bond shall be payable to the City and shall be in an amount to cover one hundred ten (110) percent of the cost of all improvements, as estimated by the subdivider and accepted by the City Council upon recommendations of the City Attorney and Engineer. The duration of the bond shall be until such time as the improvements are accepted by the City Council in accordance with Section 11.9 of this Ordinance.

11.3 Escrow Account. The subdivider shall deposit cash, or other instrument readily convertible to cash at face value, either with the City Council or in escrow with a bank. The use of any instrument other than cash, and in the case of an escrow account, the bank with which the funds are to be deposited, shall be subject to the approval of the City Council. The amount of the deposit shall be an amount equal to one hundred ten (110) percent of the estimated cost of all required improvements as estimated by the subdivider and accepted by the City Council upon recommendation of the City Engineer.

11.4 Security Agreement. The subdivider shall provide a Security Agreement guaranteeing the installation of all required improvements. The Security Agreement must be approved by the City Attorney and in an amount sufficient to guarantee the installation of all improvements.

In the case of an escrow account, the subdivider shall file with the City Council an agreement between the bank and himself guaranteeing the following:

1. That the funds of said escrow account shall be held in trust until released by the City Council and may not be used or pledged by the subdivider as security in any other matter during that period.
2. That in the case of a default on the part of the subdivider to complete said improvements, the bank shall immediately make the funds of said account available to the City Council for use in completion of the improvements.

11.5 Improvement (Assessment) District (i.e., a “street” or “sewer” Improvement District). Because the original intent of such improvements in already built-up areas, and because the City should not assume the risk of real estate development which results if the lots are unable to be sold and the subdivider defaults on the assessment payments, the use of improvement districts in

connections with new subdivision developments may be used as a method of financing such improvements. Only in specific cases where the subdivider illustrates through extensive market research will the City Council consider acceptances of an improvement district as a means of financing the necessary improvements and providing financial security to the City.

11.6 Time Limits. Prior to the granting of final plat approval, the subdivider and the City Council shall agree upon a deadline for the completion of all improvements. Such deadline shall not exceed two (2) years from the date of final plat approval, provided, however, the City Council may extend that deadline for one (1) additional year where the subdivider presents substantial reason for doing so and provides any additional performance surety made necessary due to inflation or increased cost of completing the improvements.

11.7 Installation of Improvements. Developers may select either method or combination of methods listed below to comply with the minimum improvement requirements:

1. They may install the required improvements upon acceptance of plans and specifications being approved by City Engineer and City Council.
2. Or be constructed by the City, as per the results of the Subdivision Agreement.

11.8 Plan Review Reimbursement. The subdivider or Sanitary and Improvements District shall reimburse the City such costs incurred by the City for Plan Review, Plan Check, and Plan Approval as to conformance with approved City Standards and Specifications, but such costs shall not exceed one (1) percent of the total contracted cost for improvements in the subdivision.

11.9 Failure to Complete Improvements. If any portion of the required improvements shall fail to be completed and accepted for dedication in compliance with Section 11.9 below within the required time period, either for reason of non-completion or for reason of substandard and unacceptable construction, the City Council shall accept one (1) of the following sections:

1. Where improvements have McCook guaranteed under Section 11.2 of this Ordinance, the bond shall be forfeited to the City.

2. Where improvements have McCook guaranteed under Sections 11.3 and 11.4 of this Ordinance, the City Council shall declare whatever security has McCook pledged as a guarantee to be forfeited. Where the City Council is not already in possession of said security, it shall immediately take the actions necessary to obtain it. Upon receipt of the security, the City Council shall use such to finance the completion of the improvements or rebuilding of substandard improvements. Unused portions of the security shall be returned to the subdivider without interest.

11.10 Inspection and Certification. The City Engineer or other authorized person shall regularly inspect construction of required improvements for defects. Upon completion of the improvements, the City Engineer or other authorized person shall file with the City Council a statement either certifying that the improvements have been completed in the specified manner or listing defects in those improvements which do not meet the requirements of the approved improvement plans and specifications.

Upon completion of the improvements, the subdivider shall file with the City Council a statement stipulating the following:

1. That all required improvements are complete
2. That these improvements are in compliance with the minimum standards specified by the Planning Commission and City Council.
3. That the subdivider knows of no defects from any cause in the improvements.
4. That these improvements are free and clear of any encumbrance or lien.
5. That a one (1) year warranty will be in effect.

If the City Engineer or other authorized person has certified that the improvements are complete and free from defect, the City Council shall accept any dedication of improvements. The City Council may, at its discretion, accept the dedication of any portion of the improvements, provided that all statements and agreements specified above have been received for that portion of the improvements.

11.11 Reduction of Guarantees. In those cases where improvement guarantees have been made under Section 11.1 or 11.2 of this Ordinance, the amount of the guarantee may be reduced upon acceptance in compliance with Section 11.9 of the dedication of a portion of the improvements.

11.12 Release of Guarantees. Upon acceptance, in accordance with Section 11.10 of this Ordinance, the City Council shall authorize the release of the performance bond or the remaining portion of the escrow.

## **SECTION 12 DEDICATION OF PUBLIC LAND**

### **12.1 Dedication.**

1. At the time of final plat approval by the City Council, the owners shall be required to dedicate to the public use all streets, alleys, easements, and buffer strips as required by the City Council and these Regulations. Acceptance of dedicated land shall be recorded in the minutes of the City Council.
2. Subdividers of "Commercial" type subdivisions may be required to dedicate land for off-street parking as determined necessary by the City Council.

## **SECTION 13. ANNEXATION AND RECORDING OF PLAT**

**13.1 Subdivision Annexation of Adjoining or Contiguous Properties.** All subdivisions or additions laid out adjoining or contiguous to the Corporate Limits shall be included within the same and become a part of the municipality for all purposes whatsoever, upon approval of and acceptance by Resolution of the City Council. (Ref § 19-916)

**13.2 Subdivision Annexation: Petition for Annexation.** Any subdivision in which there are lands dedicated to the City or any subdivision serviced by public utilities shall be annexed to the City. Before approval for the final plat is given, the Municipal Body shall receive a Petition for annexation from the owners of the subdivided properties.

**13.3 Subdivision Annexation: Adoption Plan by Resolution.** The City Council desiring to annex land under the authority of this section shall first adopt both a resolution stating that the City is considering the annexation of the land and a plan for extending City services to the land. The resolution shall state:

1. The time, date and location of the public hearing required below;
2. A description of the boundaries of the land proposed for annexation; and
3. That the plan of the City for extension of City services to the land proposed for annexation is available for inspection during regular business hours in the office of the City Clerk.

The plan adopted by the City Council shall contain sufficient detail to provide a reasonable person with a full and complete understanding of the intentions of the City for extending City services to the land proposed for annexation. The plan shall:

1. State the estimated cost impact of providing the services to such land.
2. State the method by which the City plans to finance the extension of services to the land and how any services already provided to the land will be maintained.
3. Include a timetable for extending service to the land proposed for annexation, and
4. Include a map drawn to scale clearly delineating the land proposed for annexation, the current boundaries of the City, the proposed boundaries of the City after annexation and the general land-use pattern in the land proposed for annexation.

A public hearing on the proposed annexation shall be held within sixty days following the adoption of the resolution to allow the City Council to receive testimony from interested persons. The City Council may recess the hearing, for good cause, to a time and date specified at the hearing.

A copy of the resolution providing for the public hearing shall be published in the official newspaper of the City at least once, not less than ten days preceding the date of the public hearing. A map drawn to scale delineating the land proposed for annexation shall be published with the resolution. A copy of the resolution providing for the public hearing shall be sent by first-class mail, following its passage, to the school board of any school district in the land proposed for annexation.

#### **SECTION 14. VARIANCES.**

14.1 Granting of Variances; Conditions. The McCook City Council may grant variances from the provisions herein, but only after determining that:

1. There are unique circumstances or conditions affecting the property.
2. The variance is necessary for the reasonable and acceptable development of the property in question.
3. The granting of the variance will not be detrimental to the public welfare or injurious to the adjacent property.

14.2 Recording of Plat. In no case shall the requirement of filing and recording a plat for subdivision be waived.

14.3 Planned Development. The City Council may also grant reasonable variances, if the subdivider concurrently submits an application for, and obtains approval of, a planned development. The subdivider shall indicate where the plans deviate from the requirements of this Article and shall present sufficient evidence to support the request, indicating why the request will not be detrimental to the public health, safety and welfare.

**SECTION 15. PUBLIC SITES AND OPEN SPACES.**

15.1 Recreation Standards. The McCook Planning Commission may require that land be dedicated for parks and playgrounds or other recreation purposes. Such areas shall be shown and marked on both the preliminary and final plat, as "Dedicated for Park." The developer shall dedicate all such recreation areas to the City of McCook as a condition of final subdivision plat approval. The Commission may require that the recreation area be located at a suitable place on the edge of the subdivision so that additional land may be added at such time as the adjacent land is subdivided. In no case shall an area of less than one-half (1/2) acre be reserved for recreation purposes if it will be impractical or impossible to secure additional lands in order to increase its area.

15.2 Recreation Sites. Land reserved for recreation purposes shall be of a character and location suitable for use as a playground, playfield, or for other recreation purposes; and shall be improved by the developer to the standards required by the Planning Commission, which improvements shall be included in the performance bond.

A recreation site shall have a total frontage on one (1) or more streets of at least one hundred (100) feet, and no other dimension of the site shall be less than one hundred (100) feet unless it is for a designated linear park, including a hiker/biker trail or open space along a creek or narrow commons area. The Planning Commission may refer any subdivision proposed to contain a dedicated park to the McCook Park Board for a recommendation. All land to be reserved for dedication to the City of McCook for park purposes shall have prior approval of the City Council and shall be shown marked on the plat "Dedicated for Park."

15.3 Fees in Lieu of Land for Public Sites or Open Spaces. The McCook Park Board and City Council, may determine when dedicated parks, and/or open space, are not deemed appropriate in the proposed subdivision, a Fee in Lieu of land may be negotiated during the Subdivision Agreement process and held by the City of McCook for future parks or open spaces needs in the general area of the proposed subdivision.

**SECTION 16. AMENDMENTS.** Any provision herein from time to time may be amended, supplemented, changed, modified or repealed by the Governing Body according to law; Provided, however, that such amendments, supplements, changes, modifications or repealed provisions shall not become effective until after study and report and recommendations of the Planning Commission.